Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L13	('5923673'| 'JP2002217906A')[ABPN1,NRPN,PN,TBAN,WKU]	3	L13
L12	"1394" near10 analyzer	11	L12
L11	"1394" same analyzer same configur$5 same (address or id)	1	L11
L10	"1394" same (physical near5 layer near5 address$3)	12	L10
L9	"1394" same (physical near5 layer near5 address$3) same analyzer	0	L9
	DB=USPT; PLUR=YES; OP=OR		
L8	L7 and analyzer	0	L8
L7	"1394" same (physical near5 layer near5 address$3)	5	L7
L6	"1394" same (physical near5 layer near5 address$3) same analyzer	0	L6
L5	(ieee near1 1394) same (physical near5 layer near5 address$3)	3	L5
L4	L1 and configur$5	1	L4
L3	L1 and topology	1	L3
L2	L1 and address	1	L2
L1	6202103.pn.	1	L1

END OF SEARCH HISTORY

L Number	Hits	Search Text	DB	Time stamp
19	0	(bus near2 analyzer) same topology same physical same layer	USPAT	2003/04/30 14:00
20	0	(bus near2 analyzer) same topology same layer	USPAT	2003/04/30 14:00
21	0	(bus near2 analyzer) same topology	USPAT	2003/04/30 14:00
22	155	(bus near2 analyzer)	USPAT	2003/04/30 14:00
23	2	((bus near2 analyzer)) and topology same layer	USPAT	2003/04/30 14:01

L Number	Hits	Search Text	DB	Time stamp
-	0	ieee same bus same (digital near2 camera) same (bus near2 analyzer)	USPAT	2003/04/30 09:57
-	0	"1394" same (digital near2 camera) same (bus near2 analyzer)	USPAT	2003/04/30 09:57
-	1	"1394" same (bus near2 analyzer)	USPAT	2003/04/30 09:57